AD-A120 222 LOUISIANA STATE UNIV BATON ROUGE COASTAL STUDIES INST F/6 4/2
WIND-WAVE INTERACTIONS UNDER THE INFLUENCE OF THE SOMALI LOW-LE--ETC(U)
1982 S A HSU
VINCLASSIFIED

101 PART | PART |

Coastal Studies Institute Center for Wetland Resources Louisiana State University Baton Rouge, Louisiana 70803-7527

Technical Report No. 355

# WIND-WAVE INTERACTIONS UNDER THE INFLUENCE OF THE SOMALI LOW-LEVEL JET

S. A. Hsu

1982



DIE FILE COPY

Extended Abstracts, Internat. Conf. on the Scientific Results of the Monsoon Experiment, pp. 3-47-3-50, Denpasar, Bali, Indonesia, Oct. 26-30, 1981. World Meteorological Organiz., Geneva, Switzerland.

Office of Naval Research Contract No. NO0014-75-C-0192 Project NR 388 002 Approved for public release Darthulion Unlimited

82 10 12 313

## WIND-WAVE INTERACTIONS UNDER THE INFLUENCE

# OF THE SOMALI LOW-LEVEL JET

#### S. A. Hsu

Coastal Studies Institute, Louisiana State University, Baton Rouge, Louisiana, U.S.A.

### INTRODUCTION

`Since the speed of the Somali low-level jet may reach 40 m/s in certain regions over the Indian Ocean during the summer, a constant value for the drag coefficient, C<sub>10</sub>, has been found inadequate for many air-sea interaction studies such as heat flux and evaporation computations. During MONEX 1979 (May and June), high-resolution rawinsonde stations were set up at Mogadishu and at Gardo, in Somalia, to measure the structure of this jet. These two stations were operated jointly by Louisiana State University and Florida State University. Simultaneous observations of surface winds and waves downwind from this jet were made by research and merchant ships.

It is the purpose of this paper to study the significant heights and periods of sea waves under the influence of the Somali jet. In order to improve input to the study of atmosphere-ocean systems, such as heat budget, wave and current forecasting, and numerical modeling of the marine boundary layer, a recently developed wind stress formulation which incorporates wave-breaking characteristics is also investigated.

#### WIND-WAVE INTERACTION

During May and June 1979 many sets of wind and wave data were obtained. They are available through the U.S. National Climatic Center (Marine Surface Observations from Tape Data Family -11). In this study they were reduced according to the guidance given in Kraus (1972). Significant wave height versus wind speed is shown in Figure 1, and wave period versus wind speed is given in Figure 2. It can be seen that, although the coefficients are different from those of "fully developed" seas, the basic equations are similar. From Figure 1

$$H_{1/3} = 0.92 + 0.0735 \frac{v^2}{g}$$
 (1)

where  $\rm H_{1/3}$  is the significant wave height, U is the wind speed at deck height, and g is the gravitational acceleration. From Figure 2

$$T = 1.88 + 0.40 \frac{2\pi U}{g}$$
 (2)

where T is the wave period. Note that the data incorporated in Figures 1 and 2 were based on sets obtained between June 12 and June 30 in a region between 6-12°N and 49-53°E, where the upwind wind measurements at Gardo, Somalia, were also made, so that the data used were in fact under the influence of the Somali low-level jet. For details about MONEX, see Fein and Kuettner (1980).




Figure 1. Variation of significant wave height with wind speed.




Figure 2. Variation of wave period with wind speed.

WIND STRESS OF THE JET

Pairs of H<sub>1/3</sub> and T were used to compute the average wave height, H, and the phase velocity of the waves for deep water,  $C = g T/(2\pi)$ . From these two parameters and the wind speed, Uz, at deck height, z, the shear (friction velocity), Uk, were obtained by using a nomogram such that

$$2\pi z C^2/H = U_{\star}^2 \exp(\kappa U_{z}/U_{\star})$$
 (3)

For more detail, see Hsu (1976).

Distribution/

Availability Codes Avail and/or Special

> DFIC COPY NSPECTE

Figure 3 shows the variation of  $U_{\pm}$  and  $C_{10} = (U_{\pm}/U_{10})^2$ , with the wind speed at 10 m. Many formulas were tried in the computation. However, only that of Amorocho and DeVries (1980, 1981) gives reasonably close fit. Their equation is

$$v_{\star} = \left\{0.0015 \left[1 + \exp\left(-\frac{v_{10} - 12.5}{1.56}\right)\right]^{-1} + 0.00104\right\}^{1/2} v_{10}$$
 (4)




Figure 3. Variation of shear velocity,  $U_{\star}$ , and drag coefficient,  $C_{10}$ , with wind speed.

The nonlinear characteristics reflect the onset of breakers and breaker saturation. The drag coefficient,  $\mathbf{C}_{10}$ , as shown in Figure 3, can be simplified as

$$C_{10} \times 10^3 = 0.46 + 0.14 U_{10}$$
For  $U_{10} \le 15 \text{ m/s}$ 

$$C_{10} \times 10^3 = 2.62 .$$
For  $U_{10} > 15 \text{ m/s}$ 

$$(5)$$

The reason for this discontinuity between 12 and 15 m/s may be attributed to the formation of helical roll vortices, which in turn increase the turbulence level beyond this critical wind speed (SethuRaman, 1979). It is also possible that due to the steadiness of the jet during summer the sea waves begin to break at around 12-15 m/s. Saturation of the breakers may actually produce sheets of foam, which in turn separate the water and air so that the wind drags the foam rather than the real seawater. Certainly more study on this aspect of the problem is needed.

# APPLICATIONS TO HEAT-FLUX AND EVAPORATION COMPUTATIONS

and

If Eq. (4) and Fig. 3 are accepted,  $U_{\alpha}$  can be utilized directly in the computation of heat flux,  $H_{\alpha}$ , and evaporation, E,

where  $\rho$  is the air density,  $\theta$  is the potential temperature, and q is the specific humidity. Subscript s is the sea surface. These equations apply to both adiabatic and nonadiabatic conditions and are particularly suitable if the wind stress  $U_{\pm}$  is known. For more detail, see Roll (1965). Note that to use  $U_{\pm}$  instead of  $C_{10}$  is in essence to bypass the uncertainty inherited in the formulation of the drag coefficient (Amorocho and DeVries, 1980), as shown in Figure 3.

#### **ACKNOWLEDGEMENTS**

This study was sponsored by the Coastal Sciences Program, Office of Naval Research, Arlington, Virginia 22217, under a contract with Coastal Studies Institute, Louisiana State University, Baton Rouge. The Somali experiment during the summer 1979 MONEX, as well as travel for presentation of this paper, was supported in part by the Global Atmospheric Research Program, Division of Atmospheric Sciences, Fational Science Foundation, under Grants ATM 7813388 and 8013644. Appreciation is also expressed to the Somali Government.

#### REFERENCES

- Amorocho, J., and J. J. DeVries, 1980: A new evaluation of the wind stress coefficient. J. Geophys. Res., 85, 433-442.
- , 1981: Reply. J. Geophys. Res., 86, 4308.
- Fein, J. S., and J. P. Kuettner, 1980: Report on the summer MONEX field phase. Bull. Amer. Meteorol. Soc., 61, 461-474.
- Hsu, S. A., 1976: Determination of the momentum flux at the air-sea interface under variable meteorological and oceanographic conditions: further application of the wind-wave interaction method. Boundary-Layer Meteorol., 10, 221-226.
- Kraus, E. B., 1972: Atmospheric-Ocean Interaction. Clarendon Press, London, 275 pp.
- Roll, E. U., 1965, Physics of the Marine Atmosphere. Academic Press, New York, 426 pp.
- SethuRaman, S., 19/9: Structure of the turbulence over water during high winds. J. Appl. Meteor., 18, 324-328.

Unclassified						
Security Classification						
DOCUMENT CON	TROL DATA - R & D					
(Security classification of title, body of abstract and indexing	ennelation must be enter	ed when the	CURITY CLASSIFICATION			
1. ORIGINATING ACTIVITY (Corporate author)  Coastal Studies Institute		Unclassified				
Louisiana State University	<u>i</u>					
Baton Rouge, Louisiana 70803-7527		Unclassified				
1. REPORT TITLE			<del></del>			
3. HEPONY (ITEE)	•					
WIND-WAVE INTERACTIONS UNDER THE INFLUENCE O	F THE SOMALI LOW	-LEVEL J	ET			
4. DESCRIPTIVE NOTES (Type of report and inclusive dates)			•			
		·				
S. AUTHORIS) (First name, middle initial, lest name)	•	<del></del>				
S. A. Hsu						
S. A. RSU	•					
S. REPORT DATE	TOTAL NO. OF PA	GES	76, NO. OF REFS			
	/		7			
1982	M. ORIGINATOR'S RE	4 /				
NO0014-75-C-0192	Technical Report No. 355					
A. PROJECT NO.						
NR 388 002						
<b>c.</b>	Sh. OTHER REPORT N	10(8) (Any of	her numbers that may be assigned			
,						
4	<u>.                                    </u>					
18. DISTRIBUTION STATEMENT						
	limited					
Approved for public release; distribution	unlimited.					
1 1 1 1	12. SPONSORING .IILI	TARY ACTIV	/ITY			
11. SUPPLEMENTARY NOTEExtended Abstracts,	i					
Internat. Conf. on the Scientific Results of						
the Monsoon Experi., pp. 3-47-3-50, Denpasar Bali, Indonesia, Oct. 1981. World Meteorol.	Arlington, Virginia 22217					
18. ABSTRACT Organiz., Geneva, Switzerland.	<del></del>	<del></del>				
Or Pental, denote, parameter						

Since the speed of the Semali low-level jet may reach 40 m/s in certain regions over the Indian Ocean during the summer, a constant value for the drag coefficient,  $G_{10}$ , has been found inadequate for may air-sea interaction studies such as beet flux and evaporation computations. During HONEX 1979 (May and June), high-resolution reviseonde stations were set up at Hogadishu and at Cardo, in Somalis, to measure the structure of this jet. These two stations were operated jointly by Louisiana State University and Florida State University. Simultaneous observations of surface winds and waves downwind from this jet were made by research and merchant ships.

It is the purpose of this paper to study the significant heights and periods of sea waves under the influence of the Someli jet. In order to improve input to the study of atmosphere-ocean systems, such as heat budget, wave and current forecasting, and numerical modeling of the marine boundary layer, a recently developed wind stress formulation which incorporates were-breaking characteristics is also investigated. (U)

14.	KEY WORDS		LINK A		LINK-0		LINE	
	KEY WORDS	ROLE		HOLE	WT	ROLE	wT	
		Í	ĺ	Ī	1	•	Í	
nteractions			ļ	•	1	1		
omali Jet	•	1	1	1	1	ł i	l	
		ļ	}	,	l	Į į		
		i		1				
			ĺ	1	1	1	l	
		j	ł		ł			
	•	1						
		1		}	,			
		1			ì		ŀ	
	•	1		1	,	j i		
		1 • 1		1 1		ł i		
		1 . 1				i i		
		1		<u>[</u>		ļ		
		j i		] [		] ]		
	•	}				]		
		•				[		
				i				
		1 1						
	•	]						
	•	<u> </u>		1		l [		
•		1 1						
	•	i i		1		İ		
		] [		j		1		
		i i		. 1				
	•	l i		ı		١٠٠		
		<b>i</b> I					٠	
	•	1 1				. 4	-	
	•	1	٠				7	
•		1		}				
			٠					
	•	· ·				}		
			J	<b>.</b>				
			I	4		1		
	·		1	ł	1	i		
		1	1	1				
	·	]		I		·		
		ĺ	ſ	ľ	. 1	ľ		
	•			i	ı	j		
		1		1	l	1		
			l	1	ł	1		
	· · · · · · · · · · · · · · · · · · ·	- 1	ľ	I				
	ļ	ł		ļ		1		
	<b>\</b>		1	- 1	4	- 1		
		1	ŀ	1	ļ	- 1		
	·	1	- 1	1	ļ	1	•	
	1		ı	- 1	ŀ	1		
		•	ł	1	i	1		

Unclassified Security Classification

A-31409

